Chisels, Jacksets, Steels

High quality chisels, retainers, steels and jacksets designed to enhance the performance of our tools. These lines are available in the most popular shank configurations and lengths.





Impacutter Accessories

For 116-EU, 116H-EU, 121/Q-EU, 121/QH-EU, 118MAX, 122MAX and AVC Series hammers.





Type	Part no. / Round shank	Part no. / Hexagonal shank	(mm)
Standard			
1	116-66	116-66H	19
5	116-70	116-70H	—
6	116-87	116-87H	19
7	116-88	116-88H	16
8	116-89	116-89H	19
Extra Hard			
1	MC-66	MC-66H	19
2	MC-67	MC-67H	16
3	MC-68	MC-68H	35
4	MC-69	MC-69H	19
5	MC-70	MC-70H	—
6	MC121-87	MC121-87H	19
7	MC121-88	MC121-88H	16
8	MC121-89	MC121-89H	19
9	MC121-90	—	—

Impacutter Additional Accessories

Part no.	Description
Chisels	
9500	Set of 5 chisels / 10.2 mm round shank
116H-K5	Set of 5 chisels / 10 mm hexagonal shank
Chisel attachings	
9512	Quick change chuck for 116-EU, 116H-EU, 121/Q-EU, 121/QH-EU, 118MAX and 122MAX
115-183	Quick change spring retainer for 116-EU, 116H-EU, 121/Q-EU, 121/QH-EU
AVC10-183	Industrial grade quick change spring retainer for 121/Q-EU and 121/QH-EU
AVC1-83	Beehive (safety) quick change spring retainer for AVC10, AVC12 and AVC13
AVC24-283	Beehive (safety) quick change spring retainer for AVC26

9500

9512

115-183

Steels

Pneumatic Tools Steels



Chipping Hammer Accessories

For series K2LA1SA-EU and K2LA2SA-EU (oval collar).



Type	Part no. / Round shank	Part no. / Hexagonal shank	Length (mm)	(kg)
Extra Hard				
A	HH1-215F-12	HH1-214F-12	305	0.8
A	HH1-215F-18	HH1-214F-18	455	1.1
A	HH1-215F-24	HH1-214F-24	610	1.3
A	HH1-215F-36	HH1-214F-36	915	2.4
B	HH1-215B-12	HH1-214B-12	305	0.8
C	HH1-215M-12	HH1-214M-12	305	0.8
C	HH1-215M-18	HH1-214M-18	455	1.1
C	HH1-215M-24	HH1-214M-24	610	1.3
C	—	HH1-214M-36	915	2.4

Chipping Hammer Accessories

For series W1A1-EU, W2A1-EU, W3A1-EU and W4A1-EU (round collar).



Type	Part no. / Round shank	Part no. / Hexagonal shank	Length (mm)	(kg)
Extra Hard				
A	H3R-215F-12	H3R-214F-12	305	0.8
A	H3R-215F-18	H3R-214F-18	455	1.1
A	H3R-215F-24	H3R-214F-24	610	1.3
A	H3R-215F-36	H3R-214F-36	915	2.4
B	H3R-215B-12	H3R-214B-12	305	0.8
C	H3R-215M-12	H3R-214M-12	305	0.8
C	H3R-215M-18	H3R-214M-18	455	1.1
C	H3R-215M-24	H3R-214M-24	610	1.3
C	—	H3R-214M-36	915	2.4

Paving Breaker and Digger Accessories



Part no.	Chisel type	Length (mm)	Cutting edge	(kg)
7/8" x 3 1/4" (22 x 82) Hex Shank Size				
50199207	Flat / narrow	350	25 mm	1.50
50199215	Flat / narrow	455	25 mm	1.80
50199223	Flat / narrow	610	25 mm	2.40
45510682	Flat / narrow	915	25 mm	3.40
50050269	Moil point	350	—	1.50
50050277	Moil point	455	—	1.80
50050285	Moil point	610	—	2.40
1" x 4 1/4" (25 x 108) Hex Shank Size				
50197805	Flat / narrow	350	25 mm	2.05
1 1/8" x 6" (28 x 160) Hex Shank Size				
50197904	Flat / narrow	350	25 mm	2.70
50197912	Flat / narrow	455	25 mm	3.30
50197938	Flat / narrow	610	25 mm	4.30
50050475	Moil point	350	—	2.70
50055524	Moil point	455	—	3.30
1 1/4" x 6" (32 x 160) Hex Shank Size				
50196385	Flat / narrow	350	25 mm	3.40
50196401	Flat / narrow	455	25 mm	4.10
50055680	Moil point	350	—	3.40
50055698	Moil point	455	—	4.10

Demolition Tool Accessories

Jumbo shank
For model
9001-EU



Part no.	Description	(kg)
Chisels		
9001-276-12	Flat / narrow chisel – 305 mm length	1.14
9001-276-18	Flat / narrow chisel – 455 mm length	1.70
9001-297-12	Moil point chisel – 305mm length	1.14
9001-297-18	Moil point chisel – 455 mm length	1.70
9001-277-9 1/2	Side cut chisel (steel rivet cutting)	0.90
9001-295-9 1/2	Ripper (splitting steel)	0.90
Backout Punches		
9001-278	For 3/8" rivet diameter	0.90
9001-279	For 1/2" rivet diameter	0.90
9001-280	For 5/8" rivet diameter	0.90
9001-281	For 3/4" rivet diameter	1.02
9001-282	For 7/8" rivet diameter	1.02
9001-283	For 1" rivet diameter	1.02

Jacksets

10.2 mm shank diameter for riveters AVC10, AVC12 and AVC13

Brazier head

Universal head



Ø A (mm)	Rivet head Ø (mm)	Part no./ Brazier head	Part no./ Universal head
10.2	2	—	**AV1-22H-3**
10.2	3	**AV1-22C-4**	—
10.2	4	**AV1-22C-5**	**AV1-22H-5**
10.2	5	**AV1-22C-6**	**AV1-22H-6**
10.2	6	**AV1-22C-8**	**AV1-22H-8**
10.2	8	**AV1-22C-10**	—

Jackset blank

Flush head jackset



Ø A (mm)	Ø B (mm)	Part no. / Soft blank	Part no. / Flush head
10.2	13	**AV1-22S-16**	—
10.2	16	**AV1-22S-20**	—
10.2	19	**AV1-22S-24**	—
10.2	22	**AV1-22S-28**	—
10.2	25	—	**AV1-126D**

Jacksets

12.7 mm shank diameter for riveters AVC26.

Jackset blank



Ø A (mm)	Ø B (mm)	Part no.
12.7	21	**AV24-222S-26**
12.7	30	**AV24-222S-38**

Scaler Accessories

Scaling chisels for series 172 and 182



Type	Part no.	Length (mm)
Extra Hard		
1	**WF-14F-7**	178
1	**WF-14F-12**	305
2	**WF-14B6 1/8**	156
2	**WF-14B-11 1/2**	292
3	**WF-14A-6 1/8**	156
4	**WF-14G-6**	152
5	**WF-14-7 1/8**	181

Scaler attachment (housing) plus set of 19 steel needles – NS11 attachments allow conversion of models 172L, 182L and 182G-EU into needle scalers.

Part no.	Needle housing type	Needle length (mm)	Compatible Ingersoll Rand tool
NS11A	Round	127	172 & 182 Series
NS11A7	Round	178	172 & 182 Series
NS11B7	Rectangular	178	172 & 182 Series
PF2219-K19	Round	Without needle (1)	125-EU

(1) See 127 mm length needles hereunder.

Needles for 172, 182 and 125-EU Scalers

Part no.	Material	Needle length (mm)
NS11-22-19	Steel	127
NS11-122-19	Steel	178
NS11-B22-19	Berylium copper	127
NS11-S22-19	Stainless steel	127

Pads and Abrasives

Whatever your surface preparation needs happen to be, genuine Ingersoll Rand pads are specifically engineered to work at the tolerances of our powerful tools, ensuring you get the best finishes possible.



Backing and Sanding Pads

Compatible tools	Pad part no.	Pad Ø (mm)	Pad type
Non-Vacuum Pads			
311A	**49097**	152	Vinyl, sanding pad
313A, 314A	**313-825-7**	178	Standard duty, rigid plastic
318A, 319A	**6130A**	178	Heavy duty, rubber
314A, 318A	**6135A**	200	50 mm thick polyester foam
317A	**317A-825**	76 & 127	Backing pads
77A	**77A-AM825-5**	127	Sanding pad
	77A-AM825-7	178	Sanding pad
	77A-AM825-9	225	Sanding pad
Vacuum Pads (1)			
4152-HL-SR	**010056**	76	Hook & Loop sanding pad
R025, R035	**49693**	127	Hook & Loop sanding pad
	49096-1	127	Vinyl sanding pad, grooved
4151-HL, 4152-HL R026, R036	**49835**	152	Hook & Loop sanding pad
	VPAD-6	152	Vinyl sanding pad, grooved
Rectangular Pads			
312A	**312A-A825**	93 x 171	Sanding pad
315A	**315-39**	70 x 445	Sanding pad
Polishing Bonnet			
314A, 318A	**P500-850**	178	Wool Polishing Bonnet

(1) Vacuum pads can also be used for non-vacuum applications.

Sander Accessories

Description	4151-HL	4152-HL	R025	R035	R026	R036
Conversion kit (non-vacuum to vacuum)	**4151JV**		**RSVK-5**		**RSVK-6**	
Grip ring: small diameter (grey) (2)	—		**49801**	—	**49801**	—
Grip ring: medium diameter (black) (2)	**4151-747B**	**4151-2-747BLK**	**49798**	—	**49798**	—
Grip ring: large diameter (blue) (2)	—		**49799**	—	**49799**	—
Vacuum hose (1.8 m)	**49982**		**49982**		**49982**	
Eductor assembly	**49976**		**49976**		**49976**	
Vacuum adapter kit, Ø25, Ø28 and Ø32	**4151-809KIT**		**4151-809KIT**		**4151-809KIT**	
Cloth bag cover	**04611232**		**04611232**		**04611232**	
Disposable dust collection bag, qty. 20	**49988**		**49988**		**49988**	
Disposable dust collection bag, qty. 250	**49987**		**49987**		**49987**	

*(2) Kit of 3 rings (1 grey, 1 black and 1 blue), part no. **49840**.*

Grinder Extended Warranty Kits

Part no.	Description
AG1-XWXP2	Warrranty Kit for G1 Series Grinders
AG2-XWXP2	Warrranty Kit for G2 Series Grinders
AG3-XWXP2	Warrranty Kit for G3 Series Grinders

Router Attachment Assembly

Part no.	Description
TD-RK4	For grinders using 1/4" diameter bits

50 and 75 mm Quick-Change Pad & Abrasives

Part no.	Description	Quantity
50 mm (2") Diameter		
02A-MEDPD	Quick change pad with ¼ mandrel	1
02A-CRSBR-25	Coarse coating removal – Brown grain	25
02A-MEDBR-25	Medium coating removal – Maroon grain	25
02A-CRSBB-25	Quick-Strip discs – Bright blue	25
02A-036AO-25	Aluminium oxide discs – 36 Grit	25
02A-080AO-25	Aluminium oxide discs – 80 Grit	25
75 mm (3") Diameter		
03A-MEDPD	Quick change pad with ¼ mandrel	1
03A-CRSBR-25	Coarse coating removal – Brown grain	25
03A-MEDBR-25	Medium coating removal – Maroon grain	25
03A-CRSBB-10	Quick-Strip discs – Bright blue	10
03A-036AO-25	Aluminium oxide discs – 36 Grit	25
03A-080AO-25	Aluminium oxide discs – 80 Grit	25

Quick-change backer pad

For medium coating removal

For coarse coating removal



Quick-strip discs for agressive coating removal

Quick change aluminium oxide sanding discs

75 mm (3") Hook-and-Loop Pad, Discs & Bonnets

Part no.	Description	Quantity
Backer Pad		
03H-PAD-HL	75 mm Ø (3") - Medium - Hook and loop	1
Sanding Discs		
03H-040AO-50	Aluminium oxide – Grit 40	50
03H-100AO-50	Aluminium oxide – Grit 100	50
03H-180AO-50	Aluminium oxide – Grit 180	50
03H-220AO-50	Aluminium oxide – Grit 220	50
03H-320AO-50	Aluminium oxide – Grit 320	50
03H-500AO-50	Aluminium oxide – Grit 500	50
03H-800AO-50	Aluminium oxide – Grit 800	50
Polishing Bonnets		
03F-SFTWL-6	Wool bonnet (for compounding)	6
03F-MEDFM-6	Waffle bonnet / White (for compounding)	6
03F-SFTFM-6	Waffle bonnet / Yellow (for polishing)	6

Hook-and-loop Pad

Hook-and-loop sanding discs

Compouning and polishing hook-and-loop bonnets

Sanding Belts

Part no.	Description	Quantity
LG1-SB812-60-10	12.7 x 305 mm (1/2 x 12") – Grit 60	10
LG1-SB812-80-10	12.7 x 305 mm (1/2 x 12") – Grit 80	10
LG1-SB812-100-10	12.7 x 305 mm (1/2 x 12") – Grit 100	10